

RAW SEQUENCE LISTING ERROR REPORT

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) detected errors when processing the following computer readable form:

Application Serial Number:	10/069,228
Source:	PUT/10
Date Processed by STIC:	3/7/2002

THE ATTACHED PRINTOUT EXPLAINS DETECTED ERRORS.
PLEASE FORWARD THIS INFORMATION TO THE APPLICANT BY EITHER:

- 1) INCLUDING A COPY OF THIS PRINTOUT IN YOUR NEXT COMMUNICATION TO THE APPLICANT, WITH A NOTICE TO COMPLY or,
- 2) TELEPHONING APPLICANT AND FAXING A COPY OF THIS PRINTOUT, WITH A NOTICE TO COMPLY

FOR CRF SUBMISSION QUESTIONS, PLEASE CONTACT MARK SPENCER, 703-308-4212.

FOR SEQUENCE RULES INTERPRETATION, PLEASE CONTACT ROBERT WAX, 703-308-4216. PATENTIN 2.1 e-mail help: patin21help@uspto.gov or phone 703-306-4119 (R. Wax) PATENTIN 3.0 e-mail help: patin3help@uspto.gov or phone 703-306-4119 (R. Wax)

TO REDUCE ERRORED SEQUENCE LISTINGS, PLEASE USE THE CHECKER VERSION 3.1 PROGRAM, ACCESSIBLE THROUGH THE U.S. PATENT AND TRADEMARK OFFICE WEBSITE. SEE BELOW FOR ADDRESS:

http://www.uspto.gov/web/offices/pac/checker

Applicants submitting genetic sequence information electronically on diskette or CD-Rom should be aware that there is a possibility that the disk/CD-Rom may have been affected by treatment given to all incoming mail. Please consider using alternate methods of submission for the disk/CD-Rom or replacement disk/CD-Rom.

Any reply including a sequence listing in electronic form should NOT be sent to the 20231 zip code address for the United States Patent and Trademark Office, and instead should be sent via the following to the indicated addresses:

- 1. EFS-Bio (<http://www.uspto.gov/ebc/efs/downloads/documents.htm>, EFS Submission User Manual ePAVE)
- 2. U.S. Postal Service: U.S. Patent and Trademark Office, Box Sequence, P.O. Box 2327, Arlington, VA 22202
- 3. Hand Carry directly to:
 - U.S. Patent and Trademark Office, Technology Center 1600, Reception Area, 7th Floor, Examiner Name, Sequence Information, Crystal Mall One, 1911 South Clark Street, Arlington, VA 22202
 - U.S. Patent and Trademark Office, Box Sequence, Customer Window, Lobby, Room 1B03, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202
- 4. Federal Express, United Parcel Service, or other delivery service to: U.S. Patent and Trademark Office, Box Sequence, Room 1B03-Mailroom, Crystal Plaza Two, 2011 South Clark Place, Arlington, VA 22202

Revised 01/29/2002

Raw Sequence Listing Error Summary

ERROR DETECTED	SUCCESTED CORRECTION SERIAL NUMBER: 10/069228	
ATTN: NEW RULES CASE	es: Please disregard english "Alpha" headers, which were inserted by Pto Soft	WARE
Wrapped Nucleics Wrapped Aminos	The number/text at the end of each line "wrapped" down to the next line. This may occur if your file was retrieved in a word processor after creating it. Please adjust your right margin to .3; this will prevent "wrapping."	
2Invalid Line Length	The rules require that a line not exceed 72 characters in length. This includes white spaces.	٠
3Misaligned Amino Numbering	The numbering under each 5th amino acid is misaligned. Do not use tab codes between numbers; use space characters, instead.	
4Non-ASCII	The submitted file was not saved in ASCII(DOS) text, as required by the Sequence Rules. Please ensure your subsequent submission is saved in ASCII text.	
5Variable Length	Sequence(s) omtain n's or Xaa's representing more than one residue. Per Sequence Rules, each n or Xaa can only represent a single residue. Please present the maximum number of each residue having variable length and indicate in the <220>-<223> section that some may be missing.	
6PatentIn 2.0 bug"	A "bug" in Patentln version 2.0 has caused the <220>-<223> section to be missing from amino acid acquences(s) Normally, Patentln would automatically generate this section from the previously coded nucleic acid acquence. Please manually copy the relevant <220>-<223> section to the subsequent amino acid acquence. This applies to the mandatory <220>-<223> sections for Artificial or Unknown sequences.	
7Skipped Sequences (OLD RULES)	Sequence(s)missing. If intentional, please insert the following lines for each skipped sequence: (2) INFORMATION FOR SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) (i) SEQUENCE CHARACTERISTICS: (Do not insert any subheadings under this heading) (xi) SEQUENCE DESCRIPTION:SEQ ID NO:X: (insert SEQ ID NO where "X" is shown) This sequence is intentionally skipped	
	Please also adjust the "(ii) NUMBER OF SEQUENCES:" response to include the skipped sequences.	
8 Skipped Sequences (NEW RULES)	Sequence(s) missing. If Intentional, please insert the following lines for each skipped sequence. <210> sequence id number <400> sequence id number 000	
9Use of n's or Xaa's	Use of n's and/or Xaa's have been detected in the Sequence Listing.	
(NEW RULES)	Per 1.823 of Sequence Rules, use of <220>-<223> is MANDATORY if n's or Xaa's are present. In <220> to <223> section, please explain location of n or Xaa, and which residue n or Xaa represents.	-
Invalid <213> Response	Per 1.823 of Sequence Rules, the only valid <213> responses are: Unknown, Artificial Sequence, or scientific name (Genus/species). <220><223> section is required when <213> response is Unknown or is Artificial Sequence	•
1 Use of <220>	Sequence(s) 7/2 missing the <220> "Feature" and associated numeric identifiers and responses. Use of <220> to <223> is MANDATORY if <213> "Organism" response is "Artificial Sequence" or "Unknown." Please explain source of genetic material in <220> to <223> section. (See "Federal Register," 06/01/1998, Vol. 63, No. 104, pp. 29631-32) (Sec. 1.823 of Sequence Rules)	
2PatentIn 2.0 "bug"	Please do not use "Copy to Disk" function of Patentin version 2.0. This causes a corrupted file, resulting in missing mandatory numeric identifiers and responses (as indicated on raw sequence listing). Instead, please use "File Manager" or any other manual means to copy file to floppy disk.	
Misuse of a	n can only be used to represent a single nucleotide in a nucleic acid sequence. N is not used to represent any value not specifically a nucleotide.	

AMC/MH - Biotechnology Systems Branch - 08/21/200



PCT10

RAW SEQUENCE LISTING PATENT APPLICATION: US/10/069,228 DATE: 03/07/2002 TIME: 15:29:25

Input Set : A:\Sequence Listing46342-57113.txt

Output Set: N:\CRF3\03072002\J069228.raw

se pr 1-3

Does Not Comply Corrected Diskette Needed 3 <110> APPLICANT: Takeda Chemical Industries, Ltd. W--> 4 <120> TITLE OF INVENTION: Screening Method

W--> 5 <130> FILE REFERENCE: 2639WOOP

C+-> /6 <140> CURRENT APPLICATION NUMBER: US/10/069,228

6 <141> CURRENT FILING DATE: 2002-02-21

6 <150> PRIOR APPLICATION NUMBER: JP 11-236597

7 <151> PRIOR FILING DATE: 1999-08-24

8 <160> NUMBER OF SEQ ID: 23

Please consult Sequence Rules for valid format,

ERRORED SEQUENCES

63 <210> SEQ ID NO: 7

64 <211> LENGTH: 7

65 <212> TYPE: PRT

66 <213> ORGANISM: Artificial Sequence

W--> 67 <220> FEATURE:

E--> 69 (<233>) Xaa means pGlu

W 7 70 (400) SEQUENCE: 7 71 (Xaa) Asp Pro Phe Leu Arg Phe

5 23 Delete Number the amordaits winder every 5 amind acids 228 <210> SEQ ID NO: 23

229 <211> LENGTH: 30

230 <212> TYPE: DNA

W--> 232 <220> FEATURE:

233 <223> OTHER INFORMATION: 6- Sel Nen 11 on Eva Jumnay Steet
234 <400> SEQUENCE: 23

W--> 234 <400> SEQUENCE: 23

C--> 235 (gctageteag gatggategg tetettgetg)

c--> 239 (1) delite

all nuclestedes need to be in lower-case letters (edit globally)

VARIABLE LOCATION SUMMARY

PATENT APPLICATION: US/10/069,228

DATE: 03/07/2002 TIME: 15:29:26

Input Set : A:\Sequence Listing46342-57113.txt

Output Set: N:\CRF3\03072002\J069228.raw

Use of n's or Xaa's (NEW RULES):

Use of n's and/or Xaa's have been detected in the Sequence Listing. Use of $\langle 220 \rangle$ to $\langle 223 \rangle$ is MANDATORY if n's or Xaa's are present. in $\langle 220 \rangle$ to $\langle 223 \rangle$ section, please explain location of n or Xaa, and which residue n or Xaa represents.

Seq#:7; Xaa Pos. 1

<210> 4	
<211> 7	
<212> PRT	• 1
<213> Artificial Sequence	
(<220>)	Enor Summary Sheet
(223) See Num 11 VI	,
<400> 4	4
Tyr Gly Gly Phe Met Arg Phe	The types of errors shown exist throughout
1 5	ine conquence Listing. Please check subsequen
10+	sequences for similar errors.
√₹ 0 V ≥ ₹ 9	

VERIFICATION SUMMARY PATENT APPLICATION: US/10/069,228 DATE: 03/07/2002 TIME: 15:29:26

Input Set : A:\Sequence Listing46342-57113.txt

Output Set: N:\CRF3\03072002\J069228.raw L:4 M:283 W: Missing Blank Line separator, <120> field identifier L:5 M:283 W: Missing Blank Line separator, <130> field identifier L:6 M:270 C: Current Application Number differs, Replaced Current Application No L:6 M:271 C: Current Filing Date differs, Replaced Current Filing Date L:8 M:283 W: Missing Blank Line separator, <160> field identifier L:9 M:283 W: Missing Blank Line separator, <210> field identifier L:13 M:283 W: Missing Blank Line separator, <220> field identifier L:15 M:283 W: Missing Blank Line separator, <400> field identifier L:22 M:283 W: Missing Blank Line separator, <220> field identifier L:24 M:283 W: Missing Blank Line separator, <400> field identifier L:31 M:283 W: Missing Blank Line separator, <220> field identifier L:33 M:283 W: Missing Blank Line separator, <400> field identifier L:40 M:283 W: Missing Blank Line separator, <220> field identifier L:42 M:283 W: Missing Blank Line separator, <400> field identifier L:49 M:283 W: Missing Blank Line separator, <220> field identifier I::51 M:283 W: Missing Blank Line separator, <400> field identifier L:58 M:283 W: Missing Blank Line separator, <220> field identifier L:60 M:283 W: Missing Blank Line separator, <400> field identifier L:67 M:283 W: Missing Blank Line separator, <220> field identifier L:69 M:250 E: Invalid Numeric Identifier, INVALID IDENTIFIER L:70 M:283 W: Missing Blank Line separator, <400> field identifier L:71 M:258 W: Mandatory Feature missing, <221> not found for SEQ ID#:7 L:71 M:258 W: Mandatory Feature missing, <222> not found for SEQ ID#:7 L:71 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:7 after pos.:0 L:77 M:283 W: Missing Blank Line separator, <220> field identifier L:79 M:283 W: Missing Blank Line separator, <400> field identifier L:86 M:283 W: Missing Blank Line separator, <220> field identifier L:88 M:283 W: Missing Blank Line separator, <400> field identifier L:95 M:283 W: Missing Blank Line separator, <220> field identifier L:97 M:283 W: Missing Blank Line separator, <400> field identifier $L:104\ M:283\ W:$ Missing Blank Line separator, <220> field identifier L:106 M:283 W: Missing Blank Line separator, <400> field identifier L:113 M:283 W: Missing Blank Line separator, <220> field identifier L:115 M:283 W: Missing Blank Line separator, <400> field identifier L:122 M:283 W: Missing Blank Line separator, <220> field identifier L:124 M:283 W: Missing Blank Line separator, <400> field identifier L:131 M:283 W: Missing Blank Line separator, <220> field identifier L:133 M:283 W: Missing Blank Line separator, <400> field identifier L:140 M:283 W: Missing Blank Line separator, <220> field identifier L:142 M:283 W: Missing Blank Line separator, <400> field identifier L:151 M:283 W: Missing Blank Line separator, <220> field identifier L:153 M:283 W: Missing Blank Line separator, <400> field identifier L:162 M:283 W: Missing Blank Line separator, <220> field identifier L:164 M:283 W: Missing Blank Line separator, <400> field identifier L:171 M:283 W: Missing Blank Line separator, <220> field identifier

L:173 M:283 W: Missing Blank Line separator, <400> field identifier L:180 M:283 W: Missing Blank Line separator, <220> field identifier L:182 M:283 W: Missing Blank Line separator, <400> field identifier

VERIFICATION SUMMARY

PATENT APPLICATION: US/10/069,228

DATE: 03/07/2002 TIME: 15:29:26

Input Set : A:\Sequence Listing46342-57113.txt
Output Set: N:\CRF3\03072002\J069228.raw

- L:189 M:283 W: Missing Blank Line separator, <220> field identifier L:191 M:283 W: Missing Blank Line separator, <400> field identifier L:198 M:283 W: Missing Blank Line separator, <400> field identifier
- L:199 M:112 C: (48) String data converted to lower case,
- M:112 Repeated in SeqNo=21
- L:224 M:283 W: Missing Blank Line separator, <220> field identifier
- L:226 M:283 W: Missing Blank Line separator, <400> field identifier
- L:227 M:112 C: (48) String data converted to lower case,
- $L:232\ M:283\ W:$ Missing Blank Line separator, <220> field identifier
- L:234 M:283 W: Missing Blank Line separator, <400> field identifier
- L:235 M:112 C: (48) String data converted to lower case, L:239 M:254 E: No. of Bases conflict, LENGTH:Input:1 Counted:30 SEQ:23